2012 emuls

Mackil, Molly J. (DNREC)

From:

Hummel Anthony E. (DNREC)

Sent:

Tuesday, May 29, 2012 9:19 AM

To:

Mackil Molly J. (DNREC)

Subject:

RE: Vlasic and Lewes FOIA Request

Attachments:

2008PinnacleFinalFS.pdf; 2008PinnacleFinalPermit.pdf

Molly:

The Pinnacle NPDES Permit and Fact Sheet are attached. The permit was reissued with the continuing requirement to implement and maintain the Nutrient Offset Plan. The permit requires progress reports every six months.

Tony

From: Mackil Molly J. (DNREC)

Sent: Tuesday, May 29, 2012 9:02 AM **To:** Hummel Anthony E. (DNREC)

Subject: FW: Vlasic and Lewes FOIA Request

Could you answer Ms. Riddle's questions below? Attached is what I sent her last week regarding Pinnacle – their permit and the fact sheet.

I also sent her the Lewes permit and fact sheet and your Powerpoint presentation – let me know if you need those. Thank you!

Molly

From: Riddle, Anne [mailto:Riddle@rff.org]

Sent: Friday, May 25, 2012 4:24 PM

To: Mackil Molly J. (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Hi Molly—just a quick question. I'm a little confused by the terms of the Pinnacle plant; the fact sheet that you sent has good details about the nutrient offsetting program from the previous permit, but are they still doing nutrient offsetting or trading now? If so, do you have any information on it? Thanks and have a great weekend,

Anne

From: Mackil Molly J. (DNREC) [mailto:Molly.Mackil@state.de.us]

Sent: Thursday, May 24, 2012 4:15 PM

To: Riddle, Anne

Cc: Underwood Robert (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Anne,

We would be happy to review portions of the report related to DNREC for accuracy.

Molly J. Mackil, P.E., LEED AP Environmental Engineer IV

Surface Water Discharges Section, Division of Water Dept. of Natural Resources and Environmental Control

89 Kings Highway, Dover, DE 19901 Tel: 302-739-9352 Fax: 302-739-8369

molly.mackil@state.de.us

From: Riddle, Anne [mailto:Riddle@rff.org] **Sent:** Thursday, May 24, 2012 3:21 PM

To: Mackil Molly J. (DNREC) Cc: Underwood Robert (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Hi Molly—thanks so much for doing this. I've cc'd Rob Underwood, who I had the original conversation with, and will get back to you both in a few days if I have questions. If I may ask, would you be willing to look over our completed report to make sure we haven't made any mistakes, or omitted anything important? We like to do this so our published work is as accurate as possible. Thanks again,

Anne

From: Mackil Molly J. (DNREC) [mailto:Molly.Mackil@state.de.us]

Sent: Thursday, May 24, 2012 2:06 PM

To: Riddle, Anne

Cc: Owens Jennifer D. (DNREC); Underwood Robert (DNREC); Chase Marla K. (DNREC)

Subject: Vlasic and Lewes FOIA Request

Ms. Riddle,

In response to your May 22, 2012, request for water quality trading program information for Vlasic Foods and the Town of Lewes and their NPDES permits, the Surface Water Discharges Section (SWDS), Division of Water, Department of Natural Resources and Environmental Control, responds:

Please see the attached NPDES permits, fact sheets and a PowerPoint presentation about nutrient trading. Please let me know if you have any questions.

Just an FYI, the SWDS generally includes programs related to Concentrated Animal Feed Operations, Biosolids, Municipal Separated Storm Sewer Systems, Industrial Storm Water, National Pollutant Discharge Elimination System, Pesticide, and Wastewater Construction permits.

Molly J. Mackil, P.E., LEED AP **Environmental Engineer IV** Surface Water Discharges Section, Division of Water Dept. of Natural Resources and Environmental Control 89 Kings Highway, Dover, DE 19901

Tel: 302-739-9352 Fax: 302-739-8369

molly.mackil@state.de.us

From:

Hummel Anthony E. (DNREC)

Sent:

Thursday, May 24, 2012 1:20 PM

To:

Mackil Molly J. (DNREC)

Subject:

Pinnacle Powerpoint Presentation

Attachments:

vlasic.ppt

Molly:

The Pinnacle Foods Presentation is attached.

Tony.

Anthony E. Hummel, PE
Environmental Engineer
Surface Water Discharges Section
State of Delaware
Department of Natural Resources and Environmental Control
Division of Water Resources
89 Kings Highway
Dover, Delaware 19901
(302)739-9946
anthony.hummel@state.de.us

					×
				•	
*				W.	

From:

Mackil Molly J. (DNREC)

Sent:

Tuesday, May 29, 2012 9:02 AM

To:

Hummel Anthony E. (DNREC)

Subject:

FW: Vlasic and Lewes FOIA Request

Attachments:

PinnacleNPDESMinorMod.pdf; PinnacleNPDESPermit.pdf; VlasicPinnacleFactSheet.pdf

Could you answer Ms. Riddle's questions below? Attached is what I sent her last week regarding Pinnacle – their permit and the fact sheet.

I also sent her the Lewes permit and fact sheet and your Powerpoint presentation – let me know if you need those. Thank you!

Molly

From: Riddle, Anne [mailto:Riddle@rff.org]

Sent: Friday, May 25, 2012 4:24 PM

To: Mackil Molly J. (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Hi Molly—just a quick question. I'm a little confused by the terms of the Pinnacle plant; the fact sheet that you sent has good details about the nutrient offsetting program from the previous permit, but are they still doing nutrient offsetting or trading now? If so, do you have any information on it? Thanks and have a great weekend,

Anne

From: Mackil Molly J. (DNREC) [mailto:Molly.Mackil@state.de.us]

Sent: Thursday, May 24, 2012 4:15 PM

To: Riddle, Anne

Cc: Underwood Robert (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Anne,

We would be happy to review portions of the report related to DNREC for accuracy.

Molly J. Mackil, P.E., LEED AP Environmental Engineer IV Surface Water Discharges Section, Division of Water Dept. of Natural Resources and Environmental Control 89 Kings Highway, Dover, DE 19901

Tel: 302-739-9352 Fax: 302-739-8369

molly.mackil@state.de.us

From: Riddle, Anne [mailto:Riddle@rff.org]
Sent: Thursday, May 24, 2012 3:21 PM

To: Mackil Molly J. (DNREC) **Cc:** Underwood Robert (DNREC)

Subject: RE: Vlasic and Lewes FOIA Request

Hi Molly—thanks so much for doing this. I've cc'd Rob Underwood, who I had the original conversation with, and will get back to you both in a few days if I have questions. If I may ask, would you be willing to look over our completed report to make sure we haven't made any mistakes, or omitted anything important? We like to do this so our published work is as accurate as possible. Thanks again,

Anne

From: Mackil Molly J. (DNREC) [mailto:Molly.Mackil@state.de.us]

Sent: Thursday, May 24, 2012 2:06 PM

To: Riddle, Anne

Cc: Owens Jennifer D. (DNREC); Underwood Robert (DNREC); Chase Marla K. (DNREC)

Subject: Vlasic and Lewes FOIA Request

Ms. Riddle,

In response to your May 22, 2012, request for water quality trading program information for Vlasic Foods and the Town of Lewes and their NPDES permits, the Surface Water Discharges Section (SWDS), Division of Water, Department of Natural Resources and Environmental Control, responds:

Please see the attached NPDES permits, fact sheets and a PowerPoint presentation about nutrient trading. Please let me know if you have any questions.

Just an FYI, the SWDS generally includes programs related to Concentrated Animal Feed Operations, Biosolids, Municipal Separated Storm Sewer Systems, Industrial Storm Water, National Pollutant Discharge Elimination System, Pesticide, and Wastewater Construction permits.

Molly J. Mackil, P.E., LEED AP Environmental Engineer IV Surface Water Discharges Section, Division of Water Dept. of Natural Resources and Environmental Control 89 Kings Highway, Dover, DE 19901

Tel: 302-739-9352 Fax: 302-739-8369

molly.mackil@state.de.us

From:

Davis Glenn F. (DNREC)

Sent:

Wednesday, October 10, 2012 12:11 PM

To:

DeFriece John R. (DNREC); Hummel Anthony E. (DNREC)

Cc:

Ashby Bryan A. (DNREC)

Attached is the report from Pinnacle for their nutrient off-set requirement . . . any problem?

Subject:
Attachments:

Pinnacle Nutrient Off-Set Update Nutrient Off-set Report 07-17-12.pdf

Glenn F. Davis
State of Delaware - DNREC
Program Manager
Compliance & Enforcement Branch
Surface Water Discharges Section

Phone: 302-739-9946 Fax: 302-739-8369 glenn.davis@state.de.us



From:

DeFriece John R. (DNREC)

Sent:

Friday, August 03, 2012 12:06 PM

To:


Davis Glenn F. (DNREC); Graeber Ronald E. (DNREC)

Subject:

Wharton's Branch

305(b) Report shows Instream monitoring station numbers (http://www.dnrec.delaware.gov/wr/Information/OtherInfo/Documents/Final%202010%20305(b)%20and%20303(d).pd f, see pg. 60).

Watershed	Segment	Station	Location	Salinity	DO count	DO Value	DO Category	Count Min DO
	DE 120-002	106021	Rt. 141 Drawbridge, Newport (USGS tide gage 01480065)	0.3	47	6.1	1	
Christina River	DE 120-003	106031	Smalley's Dam Spillway	0.2	48	6.6	1	
	DE 120-004-01	106141	06141 Rt. 72, Below Newark (USGS guage 01478000)		47	7.7	1	
	DE 120-006	106191	Rt. 273, Above Newark	0.1	47	8.5	1	
	DE 120-007-01	DE 120-007-01 106281 Little Mill Creek at atlantic Avenue (USGS Gage 01480095)		0.3	47	8.6	1	
	DE 130-001	111011	Rt. 9 Bridge	0.5	39	3.0	5	Г
Dragon Run Creek	DE 130-002	111031	Rt. 13 Bridge (flow at Rd. 407), Dragon Creek	0.2	39	2.5	5	
	DE 140-001	312011	White Creek at the mouth of Assawoman Canal	23.0	38	4.6	5	
	DE 140-002	308361	Blackwater Creek at Rd. 54	0.6	33	4.3	5	Г
	DE 140-003	308091	Pepper Creek at Rt. 26	0.1	39	7.7	1	
		308461	Deep Hole Banch at Rd. 382	0.1	24	\$.5	1	
	DE 140-004	306181	Buoy 49, Indian River	16.8	36	5.8	1	
		306191	Buoy 55, Indian River	13.4		6.6	1	
			Island Creek, upper third	17.2		4.6	5	
	DE 140-005		Swan Creek, Rd. 304	0.2	32	8.3	1	
			Swan Creek at Rd. 297	0.1	37	7.9	1	
	DE 140-006	308281	Cow Bridge Branch Rd. 48	0.1	39	7.4	1	
	DE 140-E01		Buoy 20, Indian River Bay	28.7	42	6.7	1	
			Buoy 26, Indian River Bay	26.1	_	6.1	1	
		306321	Indian River Inlet	29.6	$\overline{}$	6.2	1	
	DE 140-E02	306161	Buoy 38, Indian River	19.7	$\overline{}$	5.2	1	
		306331	Island Creek mouth	19.4	_	5.1	1	
	DE 140-L01	308071	Millsboro Dam Overflow	0.1	44	8.3	1	
Iron Branch	DE 150-001		iron Branch at Rt. 113 Bridge	0.2	33	6.5	1	
., 011 0. 011(1)	DE 130 001		Whartons Branch at Rt. 334 Bridge	0.1	38	7.1	1	
	DE 160-001	202031	DE Rt. 9 Bridge	8.7	38	3.6	5	



http://www.deos.udel.edu/odd-divas/wquality.php, search "21DELAWQ_WQX-309041"

Station 309021 (Iron Branch at Rt. 113 bridge might be closer to Pinnacle Outfall, but still only shows 0.2 ppt salinity.

John R. DeFriece, P.E.
Program Manager I
Discharge Permits Program
Surface Water Discharges Section
Division of Water Resources
DNREC
89 Kings Hwy.
Dover, De. 19901

Phone: (302)739-9946 Fax: (302)-739-8369

From:

Davis Glenn F. (DNREC)

Sent:

Wednesday, October 10, 2012 12:11 PM

To:

DeFriece John R. (DNREC); Hummel Anthony E. (DNREC)

Cc:

Ashby Bryan A. (DNREC)

Subject:

Pinnacle Nutrient Off-Set Update

Attachments:

Nutrient Off-set Report 07-17-12.pdf

Attached is the report from Pinnacle for their nutrient off-set requirement . . . any problem?

Glenn F. Davis State of Delaware - DNREC Program Manager **Compliance & Enforcement Branch Surface Water Discharges Section**

Phone: 302-739-9946 Fax: 302-739-8369 glenn.davis@state.de.us

